

# Bosch Ciair

Ageing reactive stain for wood with whitening effect



Varnishes &  
Finishing

Water-based whitening stain for the artificial ageing of wood. Bosch Ciair reacts with the colouring substances present in the wood and gives the surface a bleached effect colour, while on brushed woods it gives a pickled effect. It is particularly effective on woods rich in tannin. It can be finished with oil-based products or with two-component water-based lacquers.

## Bosch Ciair

### Technical data at 20 °C e 60% R.H.

Appearance	White liquid
Density	1,1 kg/litre
pH	11
Complete drying	12 hours
Possible dilution	With water, in any ratio
Yield	5 – 10 m <sup>2</sup> /litre
Application temperature	> 10 °C
Storage	12 months in sealed packages and temperature > 10 °C
VOC	0 g/litre
Tools cleaning	With water
Packaging available	1 litre bottles, 5 litres plastic cans



### Instructions for use

The wood to be treated must be raw, free of any trace of oil, wax, lacquer or any previous treatments.

Shake the product before use, apply a generous coat of Bosch Ciair with a brush or roller and let it dry for at least 12 hours. We recommend to use brushes and rollers in synthetic material. The product can also be applied by dipping. To obtain lighter effects, the product can be diluted with water in any ratio. The product is corrosive, it is recommended to use protective gloves and goggles and to protect any delicate surfaces near the area to be treated.

Once dry, the surface treated with Bosch Ciair must be carefully brushed and vacuumed to eliminate the dust produced during the treatment: for this purpose a mechanical brushing machine or a buffing machine with green pad can be used.

As a finishing treatment, we recommend using oil-based products such as L'Olio 100% Crema d'Olio, Oil Pro or Maxi Oil in order to enhance the warm shade of the treatment with Bosch Ciair. Alternatively, two-component water-based paints can be used.

### Notes

Use gloves and protective glasses during use.

The final appearance of the wood depends on several factors, first of all the content of dyes in the wood, it is therefore important to always carry out preliminary ageing tests. Even different lots of the same wood can give different results. During these tests check the perfect adhesion of the finishes.

To evaluate the final color of the wood it is necessary to apply the complete cycle, Bosch Ciair + finish.

In any case, avoid leaving stagnant products on the surface.

Always brush and vacuum the wood treated with Bosch Ciair before applying the finish.

**TOVER**<sup>®</sup>  
Your formula

MADE IN ITALY

Tover S.r.l.

Via Rosa Luxemburg, 2/A - Collegno (TO) - ITALY  
P. IVA 07783540011 - REA n. 920259  
Tel. +39/011.7792823 - Fax.+39/011.7792749  
www.tover.com - info@tover.com

## Safety regulations

PRODUCT FOR PROFESSIONAL USE. Strictly comply with what is stated on the labelling and consult the safety data sheet before using the product. The use of suitable gloves and protective clothing is always recommended.

## Disposal

Dispose of the unused product and empty packaging in accordance with the provisions of the local legislation in force.



Varnishes &  
Finishing

# Bosch Ciar



The recommendations in this technical data sheet are given for information only and do not bind our responsibility in any way since the methods and conditions of use of the product are beyond our control. We recommend checking the actual suitability for the intended use.

Rev 07 – 31/03/2020 This datasheet replaces the previous one.

**TOVER**<sup>®</sup>  
Your formula

  
MADE IN ITALY

Tover S.r.l.  
Via Rosa Luxemburg, 2/A - Collegno (TO) - ITALY  
P. IVA 07783540011 - REA n. 920259  
Tel. +39/011.7792823 - Fax. +39/011.7792749  
[www.tover.com](http://www.tover.com) - [info@tover.com](mailto:info@tover.com)